





## **NAMCO Commercial Products**

- ▶ Limit Switches 限位开关
- ▶ Proximity Sensors 接近传感器
- ▶ Solenoids 电磁阀
- ▶ Operating Levers 操纵杆



适用于最具挑战性的严苛的极端环境应用  
核电工业的主要供应商，能提供无故障运行的可靠产品



**1937**

First NAMCO SNAP-LOCK® limit switch introduced

**1972**

Westinghouse and Namco partner to qualify NAMCO SNAP-LOCK® switch for nuclear applications

**2012**

Over 40,000 NAMCO SNAP-LOCK® switches installed world wide.

**2014**

Introduce new GEN 3 switch for API 1000 standard

- 适用于严苛，危险，恶劣环境的重载限位开关和电磁阀
- 目标行业为物料传送、发电、汽车、船舶建造、起重机、救生艇、海洋平台、海洋建筑、管道、发电、制药、采矿、HVAC
- 在过去70多年，我们的产品被设计在成百上千中应用中



摇杆型

应用：


- 机器控制
- 阀门 / 风门位置指示



凸轮型

应用：

- 机器控制
- 输煤
- 采矿
- 谷物升降机
- 阀门 / 风门



超敏型

应用：

- 振动给料的填充检测
- 小零件传感和测量
- 液位控制



- 回动轴
- 短行程可用
- 对任何一个方向的等距中性位
- 强操作力
- 单 / 双极
- 低温至 (-40 C)
- 高温至 (+150 C)



产品系列:

EA040, EA060,  
EA080, EA170,  
EA880



- 37 度行程
- 双极可用
- 高温至 (+150 C)
- 单极可用在危险位置

EA084-23044-S

EA080-11100

EA080-21100

EA040-11100

EA060-11100

EA080-12100

EA080-13100

EA080-23100

EA080-11105

EA060-13100

EA990-30045

EA080-41100

EA080-11146

EA040-21100

EA080-22100

EA990-00095

EA080-11300

EA080-11500

EA060-12100

EA990-00085

EA080-11900

EA080-12904

EA990-00115

EA040-49100

EA080-11941

EA990-00114

EA170-31100

EA170-21100

EA170-32100

EA170-11100

EA170-33306

EA170-12100

EA170-21105

EA170-31306

EA170-13100

EA170-32306

EA170-41100

EA170-42100

EA170-34100

EA170-15100

EA170-22100

EA170-32300

EA170-31300

EA170-14100

EA170-21300

EA170-25300

EA170-61100

EA170-36100

EA170-11300

EA170-14300

- 双向操作
- 单 / 双 / 三极可用
- 90 度行程
- 低温至 (-40 C)
- 高温至 (+180 C)
- 特殊功能
  - ▶ 两步
  - ▶ 可保持
  - ▶ 中性位
- 可用于海军 / 海事以及危险环境



### 产品系列:

EA700, EA710,  
EA730, EA760,  
EA770, EA780,  
EA790, EA800



- 更大行程(最小18 度)
- 4X NEMA等级更贵

EA700-80100

EA700-50100

EA700-20100

EA800-20150

EA700-70100

EA700-40100

EA700-90964

EA780-50100

EA700-80926

EA700-55000

EA700-10100

EA780-70100

EA700-10000

EA790-15700

EA800-20140

EA790-10112

EA800-10140

EA700-30100

EA700-90100

EA700-55102

EA700-70000

EA700-09003

EA830-20054

EA780-20100

EA700-50000

EA790-70001

EA800-10150

EA700-70926

EA790-10100

EA700-85001

EA700-80000

EA700-20000

EA700-50176

EA700-80126

EA800-20157

EA700-55128

EA700-20001

EA800-10143

EA700-70001

EA780-10001

EA700-20176

EA700-60162

EA780-10000

EA700-25000

EA700-85102

EA700-10137

EA780-40100

EA800-10090

EA780-50001

EA700-40926

EA770-70100

EA700-60054

EA880-12500

EA790-20100

EA710-20000

EA790-50100

EA790-10000

EA700-70112

EA700-26100

EA700-10127

EA700-40127

EA700-70154

EA770-25704

EA800-20158





- 弱操作力可用
- LED 顶罩可用



产品系列:  
EA150



- 只有NEMA 1
- 喷雾条件下打开轴承会进水
- 不防腐



## EA150 – Top Selling SKUs

EA150-30274

EA150-30014

EA150-30275

EA150-30500

EA150-30396


EA150-10013

EA150-30223


EA150-30343

EA150-30303

- 宽辊型
- 侧托辊型
- 手动型
- 双辊膝型



- 直型
- 可调偏移型
- 双杆型



### 选择合适的操纵杆

- ▶ 防腐
  - ▶ 黄铜
  - ▶ Beryl 铜
  - ▶ 不锈钢
  - ▶ 锰
  - ▶ 青铜
  - ▶ 尼龙
- ▶ 耐温
  - ▶ 全金属材质
- ▶ 耐火花
  - ▶ Beryl 铜
  - ▶ 尼龙

EL010-53420

EL010-53338

EL010-58337

EL120-60400

EL060-55520

EL010-56334

EL010-56427

EL140-58500

EL130-69414

EL060-53536

EL060-55327

EL060-50523

EL060-55530

EL060-55300

EL160-58500

EL010-58423

EL060-53300

EL060-58305

EL010-53429

EL060-58320

EL120-69421

EL120-69415

EL090-53328

EL130-64410

EL010-62401

EL150-53901

EL060-58326

EL010-53336

EL010-58521

EL120-60600

EL060-50305

EL010-58920

EL060-58403

EL020-56320

EL060-53402

EL060-50335

EL060-58920

EL060-56500

EL130-69411

EL020-63412

EL060-50322

EL120-60601

EL140-69917

EL010-55421

EL060-50930

EL150-53301

EL060-52321

EL010-63414

EL060-53923

EL090-53324

EL060-58925

EL150-56300

EL020-59900

EL010-63415

EL150-53300

EL060-50925

EL020-58923

EL010-63416

EL090-53322

EL020-56421

EL060-50321

EL020-55327

EL080-50924

EL140-58600



Eaton



Honeywell



ABB



SquareD  
/ Telemecanique



Bartec



EB200

- ½" Stroke
- Side or Bottom mounting
- 2 – 15 lbs



EB450

- 1" Stroke
- Through holes in stack for mounting
- 7 – 11 lbs



EB600

- ½" Stroke
- Through holes in stack for mounting
- 3 – 8 lbs



EB710

- 1" Stroke
- Side, thru, throat or base mounting
- 10 – 30 lbs

EB700-60502

EB200-20155

EB701-76231

EB450-10130

EB701-76231-S

EB450-22000

EB450-20254

EB701-76163-S

EB650-99806

EB700-35002

EB705-26013-S

EB551-74046-S

EB550-49695

EB450-10433

EB200-30843

EB200-10034

EB200-39117

EB551-76087-S

EB501-78083

EB451-71006

EB200-39116

EB701-76064-S

EB550-19235

EB551-71112-S

EB450-22002

EB551-71784-S

EB450-10234

EB600-00005

EB701-76232-S

EB550-30005

EB701-73056

EB601-62314-S

EB200-00006

EB550-10215

EB550-49763

EB201-70253-S

EB102-10004-S

EB550-20025

EB200-30046

EB451-71123

EB501-73013-S

EB550-60014

EF241-63004

EB600-10120

EB450-10006

EB550-59533

EB551-75059-S

EB709-90084

EB200-20114

EB701-76057-S

EB700-60022

EB551-75043-S

EB201-73244-S

EB551-75045-S

EB451-71243-S

EB200-20067

EB704-10015

EB700-60515

EB401-71023-S

EB200-39035

EB501-74024-S

EB700-35001

EB710-50002

EB709-90044

EB704-10014

EB550-10926

EB710-11000

EB601-60433-S